

SAFETY DATA SHEET

1. PRODUCT & COMPANY IDENTIFICATION

· WRITING INK NAMES	SCAV-B,R,L,G,V,BN,Y,O
· WRITING INSTRUMENT NAMES	· SCA-VSC-M-B,R,L,G,V,BN,Y,O · SCA-VSC-MC-B,R,L,G,V,BN,Y,O · SCAS-VSC-B,R,L,G,V,BN,Y,O
· WRITING INSTRUMENT NAMES	
· NAME OF MANUFACTURER / SUPPLIER	PILOT CORPORATION
· ADDRESS	6-21,KYUBASHI 2-CHOME,CHUO-KU TOKYO, 104-8304 JAPAN
· TELEPHONE NUMBER	03-3538-3700
· FAX NUMBER	03-3538-3901

2. COMPOSITION/INFORMATION ON INGREDIENTS

WRITING INK

SUBSTANCE/MIXTURE Mixture

	Ethanol	1-Methoxy-2-propanol	3-Methoxy-3-methylbutanol	Ethylene glycol monoisopropyl ether
CAS No.	64-17-5	107-98-2	56539-66-3	109-59-1
Weight/%	54.8-59.3	20.0	0-3.0	0-1.0

3. HAZARDS IDENTIFICATION

WRITING INK

· CLASS NAME OF HAZARDOUS CHEMICALS FOR SDS IN JAPAN	FLAMMABLE LIQUID ACUTE TOXIC SUBSTANCES
· PHYSICAL AND CHEMICAL HAZARDS	Flammable liquid.
· ADVERSE HUMAN HEALTH EFFECTS	Irritating to eyes. Irritating to skin. Harmful by inhalation. Harmful by swallowed.
· ENVIRONMENTAL EFFECTS	Not available.

WRITING INSTRUMENT

Follow the local raw and regulations in your country.

4. FIRST-AID MEASURES

WRITING INK

· EYE CONTACT	Gently rinse the affected eyes with clean water for at least 15 minutes. And refer for medical attention.
· SKIN CONTACT	Wash the affected area under tepid running water using a mild soap.
· INHALATION	Remove the victim from the contamination immediately to fresh air. And refer for medical attention.
· INGESTION	Refer for medical attention.

5. FIRE-FIGHTING MEASURES

WRITING INK

· EXTINGUISHING MEDIA	In case of fire,use water spray,foam,dry chemical powder or carbon dioxide.
· SPECIFIC HAZARD WITH REGARD TO FIRE-FIGHTING MEASURES	Apply water from a safe distance to cool and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

WRITING INK AND WRITING INSTRUMENT

Absorb spill with material(e.g.dry sand or earth,cloth),then place in a chemical waste containers.

7. HANDLING & STORAGE

·HANDLING

WRITING INK

- Avoid rough handling or dropping.
- Keep container tightly closed.
- Wear protective safety glasses & gloves.

·STORAGE

WRITING INK

- Inside storage should be in a well-ventilated, noncombustible location, away from all possible source of ignition.
- Follow the local law and regulations in your country.

WRITING INSTRUMENT

- Follow the local law and regulations in your country.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

·CONTROL PARAMETERS

WRITING INK

Ethanol	1000ppm
1-Methoxy-2-propanol	100ppm
3-Methoxy-3-methylbutanol	Not available.
Ethylene glycol monoisopropyl ether	25ppm

·ENGINEERING MEASURES

- WRITING INK Use with local exhaust ventilation.
- WRITING INSTRUMENT Not required.

·PERSONAL PROTECTIVE EQUIPMENT

WRITING INK

- RESPIRATORY PROTECTION Industrial Canister gas masks.
- EYE PROTECTION Safety glasses.
- HAND,SKIN AND BODY PROTECTION Rubber gloves.
- WRITING INSTRUMENT Not required.

9. PHYSICAL & CHEMICAL PROPERTIES

WRITING INK

- PHYSICAL STATE,FORM:
- APPEARLANCE: liquid
- COLOR: Black,Red,Blue,Green,Violet,Brown,Yellow,Orange
- DENSITY: 0.872 - 0.896 (20.0°C)
- FLASH POINT 14°C(Ethanol)
- AUTOIGNITION TEMPERATURE: 392°C(Ethanol)
- UPPER AND LOWER EXPLOSION LIMIT: 19.0(vol.%) , 3.3(vol.%(Ethanol)
- BOILING POINT: 78.325°C(Ethanol)
- VAPOR PRESSURE: 44mmHg(20.0°C Ethanol)
- SOLUBILITY IN WATER Insoluble
- SOLUBILITY IN -----:

10.STABILITY & REACTIVITY

WRITING INK

- FLAMMABILITY Flammable
- SPONTANEOUS COMBUSTIBILITY Not available.
- REACTIVITY WITH WATER This material is stable.
- OXIDIZIBILITY This material is stable.
- SELF-REACTIVITY This material is stable.
- STABILITY & REACTIVITY This product is considered a stable material under normal and anticipated storage and handling conditions

11. TOXICOLOGICAL INFORMATION

WRITING INK

·CORROSIVE AND IRRITANT PROPERTIES	1-Methoxy-2-propanol Slight 500mg/hr(rabbit eye) Slight 230mg/hr(rabbit skin)
·ALLERGENIC AND SENSITIZING EFFECTS	Not available.
·ACUTE TOXICITY	Ethanol LDLo 1400mg/kg(human oral) LD ₅₀ 13700mg/kg(rat oral) 1-Methoxy-2-propanol LD ₅₀ 5660mg/kg(rat oral) LD ₅₀ 13000mg/kg(rabbit skin) 3-Methoxy-3-methylbutanol LD ₅₀ 4300mg/kg(rat oral) LD ₅₀ 5830mg/kg(mouse oral) LD ₅₀ >2000mg/kg(rabbit skin) Ethylene glycol monoisopropyl ether LD ₅₀ 5600mg/kg(rat oral) LD ₅₀ 1600mg/kg(rabbit skin)
·SUB-CHRONIC TOXICITY	Not available.
·CHRONIC TOXICITY	Not available.
·CARCINOGENIC EFFECTS	Not available.
·MUTAGENIC EFFECTS	Not available.
·EFFECTS ON THE REPRODUCTIVE SYSTEM	Not available.
·TERATOGENIC EFFECTS	Not available.

12. ECOLOGICAL INFORMATION

WRITING INK

·BIODEGRADABILITY	Not available.
·BIOACCUMULATION	Not available.
·FISH TOXICITY	3-Methoxy-3-methylbutanol TLm 11130ppm/48hrs (ricefish) Ethylene glycol monoisopropyl ether LC ₅₀ >100mg /L(ricefish)

13. DISPOSAL CONSIDERATION

WRITING INK AND WRITING INSTRUMENT

Follow all regulations in your country.

14. TRANSPORT INFORMATION

WRITING INK AND WRITING INSTRUMENT

Follow all regulations in your country.

WRITING INK

- UN CLASS: Class 3
- UN No.: 1993

15. REGULATORY INFORMATION

WRITING INK AND WRITING INSTRUMENT

Follow all regulations in your country.

16. OTHER INFORMATION

·REFERENCES

The information here is given in good faith, but no warranty, express or implied, is made.